

CONTROL4 LUX NO NEUTRAL DIMMER SWITCH



CONTROL4 LUX NO NEUTRAL DIMMER SWITCH

C4-L-NNDSW

Lux by Control4 has been crafted to revolutionize keypads, dimmers, and switches designed for luxury spaces. Featuring an elevated, elegant aesthetic, Lux combines a stylish look and feel both you and your customers will love. In addition, Control4's expanded design options include new premium metal faceplates and colors. Lux is available in both wireless and wired options for expanded flexibility.


The Control4 Lux No Neutral Dimmer Switch allows you to add another beautifully designed Lux Dimmer into any location where a neutral wire is not available and up to 450W of load control is required.

Features


- No neutral required
- High wattage dimmable load control
- Available with premium metal faceplates and a variety of stylish colors and finishes
- **Zigbee 3.0:** Wireless Lux devices require the Zigbee 3.0 Network and are not compatible with Legacy Control4 Zigbee Pro systems. Learn more about compatibility: <https://ctrl4.co/resources-zigbee30>
- **Buttons:** Does not ship with colored buttons. Partners must order engraved buttons or color kits separately.
- **Mounting Plate:** Installation requires the mounting plate that is shipped with the Lux Faceplates.
- **Faceplates:** Must be ordered separately.

CONTROL4 LUX NO NEUTRAL DIMMER SWITCH

Model number	C4-L-NNDSW
Power requirements	120-240V AC +/- 10% 50/60 Hz
Power consumption	120V: 1.32W all LEDs off, 1.51W all LEDs on 240V: 3.62W all LEDs off, 3.86W all LEDs on
<u>Load types and ratings</u>	
Supported load types	Dimming: Incandescent, halogen, dimmable LEDs Switch Mode: Split capacitor motors
Maximum Load, 120V / 240V	Incandescent: 450W, LED: 150W, ELV: 450W, MLV: 450W, Motor: 1/8 HP Split Capacitor Motors
<u>Environmental</u>	
Operational temperature	0 to 40°C (32 to 104°F)
Humidity	5% to 95% non-condensing
Storage	-20 to 70°C (-4 to 158°F)
<u>Miscellaneous</u>	
Control communications	Zigbee, IEEE 802.15.4, 2.4 GHz, 15-channel spread spectrum radio
Lighting scenes per device	127 maximum
Actions per device	15 maximum per lighting scene
Wallbox volume	5.73in ³ (94cc)
Weight	0.05kg (0.12lb.)
Shipping Weight	0.08kg (0.18lb.)
Compatible color kits	C4-L-CKUDIMSWITCH-XX




CONTROL4 LUX NO NEUTRAL DIMMER SWITCH




Note: Face Plates Sold Separately


GANG PLATE CONFIGURATIONS




CONTROL4 LUX COLORS AND FINISHES



WHITE
(WH)




SNOW WHITE
(SW)




BISCUIT
(BI)



LIGHT ALMOND
(LA)




TAUPE
(TP)



LIGHT GRAY
(LG)




ALUMINUM
(AU)



STONE GRAY
(SG)



COFFEE
(CF)



MIDNIGHT BLACK
(MB)




BLACK
(BL)



ANTIQUE BRASS
(BS)




ANTIQUE BRONZE
(BZ)




ASH GRAY
(AG)




CHROME
(CH)



MATTE STAINLESS
(MS)



SATIN BRONZE
(SB)



SATIN NICKEL
(SN)



VENETIAN BRONZE
(VB)

Gloss colors

White, Light Almond, Black

Matte colors

Snow White, Biscuit, Taupe, Light Gray, Stone Gray, Aluminum, Coffee, Midnight Black

Metallic colors

Antique Brass, Antique Bronze, Ash Gray, Chrome, Matte Stainless, Satin Bronze, Satin Nickel, Venetian Bronze