



Introduction

The Atlona **AT-GAIN-VOL** is a volume control wallplate for use with the AT-GAIN-M50-LZ mixer amplifier. It provides a convenient, easy-to-use manual interface for controlling audio levels of the amplifier. Volume control range is from no audio (mute) to maximum output level. The GAIN-VOL is housed in a US one-gang enclosure intended for wallplate openings and includes interchangeable black or white trim kits.

Applications

- Classrooms and meeting spaces where easy-to-use control of audio levels is needed and not handled by a separate control system.

Key Features

- Volume control wallplate for use with the AT-GAIN-M50-LZ mixer amplifier.
- Provides easy-to-use manual audio level control for the amplifier when a control system is not in use.
- Volume control range is from no audio (mute) to maximum output level.
- 3-pin captive-screw connection for interfacing with the amplifier.
- US one-gang enclosure for wallplate openings.
- Interchangeable black or white trim kits included.

Specifications

Connectors		
Control	1 x 3-pin, 3.5 mm, Euroblock	
Wiring		Feet / Meters
Distance	200	60
Gauge (AWG)	28 - 16	
Controls		
Volume knob	1 x Potentiometer, logarithmic, 10 kΩ	
Environmental	Fahrenheit	Celsius
Operating Temperature	+32 to +122	0 to +50
Storage Temperature	-4 to +140	-20 to +60
Operating Humidity (RH)	20% to 90%, non-condensing	
Dimensions		
Unit	1-Gang	
Weight	Pounds	Kilograms
Device	0.97	0.44
Certification		
Device	CE, RoHS, FCC	
Compliance		
NDAA-889	Yes	
TAA	Yes	
Warranty		
3 years	View the full warranty information here: https://atlona.com/warranty	

Copyright, Trademark, and Registration

© 2025 Atlona Inc. All rights reserved. "Atlona" and the Atlona logo are registered trademarks of Atlona Inc. Pricing, specifications and availability subject to change without notice. Actual products, product images, and online product images may vary from images shown here.