

MODEL SB-5574UHD VERANDA - 55"

55" VERANDA 4K OUTDOOR LED TV - FULL SHADE

DISPLAY

AVAILABLE COLORS



Black



KEY FEATURES

- Outdoor-safe, built for permanent outdoor installation (full shade applications). Indoor TV
 manufacturers specifically prohibit outdoor use (just check the manual). Don't risk safety and your
 warranty by using an indoor TV outdoors.
- Premium 4K UHD screen with direct LED backlight delivers breathtaking, dramatic picture detail with 4 times the resolution of Full HD
- Up to 30% brighter than indoor TVs for improved viewing in brighter outdoor environments
- Supports HDMI 2.0 and HDCP 2.2 ensuring compatibility with the latest 4K sources and streaming services
- Powder-coated rust-proof aluminum exterior protects internal components from rain, snow, dust, insects, humidity, and salt air
- Innovative weather-tight cable entry system seals out moisture and allows for easy hook-ups
- Large media bay with plenty of room for many popular media players, cables, baluns, and extenders
- Built-in 20W down-firing speakers for an all-in-one sound solution, or add an external audio system
- Dispersive temperature regulation system allows operation in low temperatures from -24°F and high temperatures up to 104°F (Storage temperature from -24°F up to 140°F).
- Rear IR receiver in media bay keeps IR emitter hidden & protected
- Weatherproof remote control. Leave it outdoors. Conveniently ready when you need it.
- 4 HDMI and 2 USB inputs provide plenty of connectivity options
- Optional outdoor dust cover (not included)



MODEL SB-5574UHD VERANDA - 55"

SCREEN

SCREEN

55-inch Diagonal Color Active Matrix

TFT LED

RESOLUTION

3840 x 2160 UHD

ASPECT RATIO

16:9

CONTRAST RATIO

4000:1

FRAME RATE

60 Hz

VIEWING ANGLE

178° x 178°

RESPONSE TIME

6.5 milliseconds

TV FORMATS

2160p, 1080p, 1080i, 720p, 720i, 480p,

480i

CONNECTIONS

RF

Antenna/CATV (ATSC/QAM/NTSC) x1

HDMI

HDMI™ Input x4 (HDMI 1.4, HDMI 2.0,

HDCP 2.2) 3840 x 2160 @ 60hz

VIDEO COMPOSITE

Composite Video x1, L/R Audio Inputs

х1

VIDEO COMPONENT

YPbPr plus Stereo Audio x1

CONTROL SET

Concealed Rear IR Window

AUDIO OUT

Digital TosLink Optical Audio(fixed)

RCA L+R (variable)

SPEAKERS

20 WATT internal speakers

INPUT POWER

100-240 VAC, 50-60 Hz 2.8 A Max

(125 Watts/1.0a@120v)

TEMPERATURE TOLERANCES

OPERATING TEMP

-24° to 104° F. (-31° to 40°C.)

NON-OP. TEMP

-24° to 140° F. (-31° to 60°C.)

PHYSICAL SPECS

ACCESSORIES INCLUDED

Weatherproof remote control

EXTERIOR

Powder-coated aluminum

EXTERIOR COLORS

Black only

TV DIMENSIONS

50" W x 29 " H x 3.86" D

(1260mm W x 740mm H x 98mm D)

TV WEIGHT

51 lbs (23.1 kgs)

VESA MOUNT PATTERN

400mm x 400mm

SHIPPING DIMENSIONS

56.5" W x 37 " H x 9" D

SHIPPING WEIGHT

63 lbs

RESIDENTIAL WARRANTY


1 Year Parts and Labor

Rev. 08/05/2016

Specifications

SunBriteTV Model SB-5574HD

LCD Screen	55-inch diagonal Color Active Matrix TFT LED LCD	
Resolution	3840 x 2160 UHD 4k	Ī
Aspect Ratio	16:9	Ī
Blacklight Brightness - Surface Luminance, white	350 nits (cd/m2)	
Contrast Ratio	4000:1	
Frame Rate	60hz	
H/V Viewing Angle	178° by 178°	
Response Time	6.5 milliseconds	
TV formats	2160p*,1080p, 1080i, 720p, 720i, 480p, 480i * using HDMI only	
Input Connectors:	Antenna/CATV (NTSC/ATSC/QAM) x1	
HDMI	HDMI Input x4 (Supports HDMI 1.4, HDMI 2.0, HDCP 1.4 & HDCP 2.2)	
Video Composite	Composite Video x1, L/R Audio Inputs x1	
Video Component	YPbPr plus Stereo Audio x1	
Control Set	Discrete IR Control, Concealed rear IR receiver	
Audio Out	Tos-Link Optical audio (Fixed) Analog RCA jacks (variable)	
Speakers	20 Watt downfiring internal speakers	
Exterior	Powder-coated aluminum][
Colors	Black only]
Input Power	100-240 VAC, 50-60 Hz 2.8A Max (125 watts/1.0a@120v)]
Operating Temp.	32° to 104° F. (0° to 40° C.)	
Non-op. Temp.	-24° to 140° F. (-31° to 60° C.)	
Accessories Included	Weatherproof remote control with battery, Dust Cover	1
TV Dimensions	49.6" W x 29" H x 3.86" D 1480mm W x 863mm H x 102mm D	
TV Weight	51 lbs.(23.1 kgs)	
Residential Warranty	1 year	1



Front View

[1260.9] 49.64

All measurements are in inches, except those in [] are [metric]

Side View

[740.3] 29.15

Specifications are subject to change.